





Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active

Air Freshener: Toilet Clip, Diamond, Tower

Other means of identification:

UFT: J660-K07P-Y006-F8PT

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

Details of the supplier of the safety data sheet: 1.3

Piazza BV

www.piazza.be

Vlimmersebaan 136 Unit 6 2275 Wechelderzande - Belgium Phone: +32 3 366 25 45 sales@piazza.be

1.4 Emergency telephone number: +32 3 366 25 45 mo-fr 9h-15h30

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P261: Avoid breathing dust

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

Contains Citral, d-limonene, Geraniol.

Substances that contribute to the classification

Linalool

UFI: J660-K07P-Y006-F8PT

2.3 Other hazards:

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 1/16







Lemon - Yellow Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
EC: 2 Index: 6 REACH: 0	5989-27-5 227-813-5 601-096-00-2 01-2119529223-47- XXXX	d-limonene(1) Regulation 1272/2008	Self-classified Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	2 - <3,01 %			
EC: 2 Index: I REACH: 0	93-92-5 202-288-5 Non-applicable 01-2119958951-25- XXXX	1-phenylethyl acetat Regulation 1272/2008	Phenylethyl acetate ⁽²⁾ Regulation 1272/2008 Not classified				
EC: 2 Index: 6 REACH: 6	120-51-4 204-402-9 607-085-00-9 01-2119976371-33- XXXX	Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	2 - <3,01 %			
EC: 2 Index: 6 REACH: 0	5392-40-5 226-394-6 605-019-00-3 01-2119462829-23- XXXX	Citral(1) Regulation 1272/2008	Self-classified Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	1 - <2,01 %			
EC: 2 Index: I REACH: (112-31-2 203-957-4 Non-applicable 01-2119967771-26- XXXX	Decanal(1) Regulation 1272/2008	Self-classified Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	1 - <2,01 %			
EC: 2 Index: 6 REACH: 6	78-70-6 201-134-4 603-235-00-2 01-2119474016-42- XXXX	201-134-4 503-235-00-2 01-2119474016-42-		1 - <2,01 %			
EC: 2 Index: I REACH: 0	84-66-2 201-550-6 Non-applicable 01-2119486682-27- XXXX			1 - <2,01 %			
EC: 2 Index: I REACH: 0	C: 204-683-8			0,2 - <1,01			
EC: 2 Index: I REACH: (5413-60-5 226-501-6 Non-applicable 01-2119934491-39- XXXX	Tricyclodecenyl aceta Regulation 1272/2008	Aquatic Chronic 3: H412	0,2 - <1,01			
EC: 2 Index: 1	470-67-7 207-428-9 Non-applicable Non-applicable	1-methyl-4-(1-methyl Regulation 1272/2008	Flam. Liq. 3: H226 - Warning Self-classified	0,2 - <1,01			

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 2/16

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

^{**} Changes with regards to the previous version







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

	Identification		Chemical name/Classification				
CAS:	106-24-1	Geraniol ⁽¹⁾ Self-classified					
EC: Index: REACH:	203-377-1 603-241-00-5 01-2119552430-49- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger		0,02 - <0,21 %		
CAS:	107-75-5	Hydroxy-citronellal(2	2)	Self-classified			
Index: REACH:	203-518-7 Non-applicable 01-2119973482-31- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	<u>(1)</u>	<0,03 %		

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acut	Genus	
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	Not relevant	
EC: 204-402-9	LC50 inhalation	Not relevant	

^{**} Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 3/16**

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 4/16**







Lemon - Yellow Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 7: HANDLING AND STORAGE (continued)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
d-limonene	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 5989-27-5	Dermal	Not relevant	Not relevant	9,5 mg/kg	Not relevant
EC: 227-813-5	Inhalation	Not relevant	Not relevant	66,7 mg/m ³	Not relevant
1-phenylethyl acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 93-92-5	Dermal	3 mg/kg	Not relevant	1,5 mg/kg	Not relevant
EC: 202-288-5	Inhalation	10,58 mg/m ³	26,45 mg/m ³	5,29 mg/m ³	13,22 mg/m ³
Benzyl benzoate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 120-51-4	Dermal	Not relevant	Not relevant	2,6 mg/kg	Not relevant
EC: 204-402-9	Inhalation	102 mg/m ³	Not relevant	5,1 mg/m ³	Not relevant
Citral	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 5392-40-5	Dermal	Not relevant	Not relevant	1,7 mg/kg	Not relevant
EC: 226-394-6	Inhalation	Not relevant	Not relevant	9 mg/m³	Not relevant
Decanal	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 112-31-2	Dermal	14,1 mg/kg	Not relevant	7,05 mg/kg	Not relevant
EC: 203-957-4	Inhalation	49,71 mg/m ³	124,28 mg/m ³	24,86 mg/m ³	62,14 mg/m ³
Linalool	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
Diethyl phthalate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 84-66-2	Dermal	Not relevant	Not relevant	15 mg/kg	Not relevant
EC: 201-550-6	Inhalation	Not relevant	Not relevant	10,56 mg/m ³	Not relevant
Octanal	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 124-13-0	Dermal	Not relevant	Not relevant	0,37 mg/kg	Not relevant
EC: 204-683-8	Inhalation	Not relevant	Not relevant	1,3 mg/m ³	Not relevant
Geraniol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 106-24-1	Dermal	Not relevant	Not relevant	12,5 mg/kg	Not relevant
EC: 203-377-1	Inhalation	Not relevant	Not relevant	161,6 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 5/16**







Lemon - Yellow Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Hydroxy-citronellal	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 107-75-5	Dermal	Not relevant	Not relevant	1,9 mg/kg	Not relevant
EC: 203-518-7	Inhalation	Not relevant	Not relevant	18 mg/m ³	Not relevant

DNEL (General population):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
d-limonene	Oral	Not relevant	Not relevant	4,8 mg/kg	Not relevant	
CAS: 5989-27-5	Dermal	Not relevant	Not relevant	4,8 mg/kg	Not relevant	
EC: 227-813-5	Inhalation	Not relevant	Not relevant	16,6 mg/m ³	Not relevant	
1-phenylethyl acetate	Oral	1,5 mg/kg	Not relevant	0,75 mg/kg	Not relevant	
CAS: 93-92-5	Dermal	1,5 mg/kg	Not relevant	0,75 mg/kg	Not relevant	
EC: 202-288-5	Inhalation	2,61 mg/m³	6,52 mg/m ³	1,3 mg/m ³	3,26 mg/m ³	
Benzyl benzoate	Oral	78 mg/kg	Not relevant	0,4 mg/kg	Not relevant	
CAS: 120-51-4	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant	
EC: 204-402-9	Inhalation	25 mg/m ³	Not relevant	1,25 mg/m ³	Not relevant	
Citral	Oral	Not relevant	Not relevant	0,6 mg/kg	Not relevant	
CAS: 5392-40-5	Dermal	Not relevant	Not relevant	1 mg/kg	Not relevant	
EC: 226-394-6	Inhalation	Not relevant	Not relevant	2,7 mg/m ³	Not relevant	
Decanal	Oral	7,05 mg/kg	Not relevant	3,52 mg/kg	Not relevant	
CAS: 112-31-2	Dermal	7,05 mg/kg	Not relevant	3,52 mg/kg	Not relevant	
EC: 203-957-4	Inhalation	12,26 mg/m ³	30,65 mg/m ³	6,13 mg/m ³	15,32 mg/m ³	
Linalool	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant	
CAS: 78-70-6	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant	
EC: 201-134-4	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant	
Diethyl phthalate	Oral	Not relevant	Not relevant	0,75 mg/kg	Not relevant	
CAS: 84-66-2	Dermal	Not relevant	Not relevant	7,5 mg/kg	Not relevant	
EC: 201-550-6	Inhalation	Not relevant	Not relevant	2,6 mg/m ³	Not relevant	
Octanal	Oral	Not relevant	Not relevant	0,19 mg/kg	Not relevant	
CAS: 124-13-0	Dermal	Not relevant	Not relevant	0,19 mg/kg	Not relevant	
EC: 204-683-8	Inhalation	Not relevant	Not relevant	0,32 mg/m ³	Not relevant	
Geraniol	Oral	Not relevant	Not relevant	13,75 mg/kg	Not relevant	
CAS: 106-24-1	Dermal	Not relevant	Not relevant	7,5 mg/kg	Not relevant	
EC: 203-377-1	Inhalation	Not relevant	Not relevant	47,8 mg/m ³	Not relevant	
Hydroxy-citronellal	Oral	Not relevant	Not relevant	0,6 mg/kg	Not relevant	
CAS: 107-75-5	Dermal	Not relevant	Not relevant	1,1 mg/kg	Not relevant	
EC: 203-518-7	Inhalation	Not relevant	Not relevant	5,4 mg/m ³	Not relevant	

PNEC:

Identification				
d-limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Not relevant	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
1-phenylethyl acetate	STP	10 mg/L	Fresh water	0,018 mg/L
CAS: 93-92-5	Soil	0,097 mg/kg	Marine water	0,002 mg/L
EC: 202-288-5	Intermittent	0,183 mg/L	Sediment (Fresh water)	0,536 mg/kg
	Oral	0,01667 g/kg	Sediment (Marine water)	0,054 mg/kg

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 6/16**







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Benzyl benzoate	STP	100 mg/L	Fresh water	0,017 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,002 mg/L
EC: 204-402-9	Intermittent	Not relevant	Sediment (Fresh water)	10,66 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,07 mg/kg
Citral	STP	1,6 mg/L	Fresh water	0,007 mg/L
CAS: 5392-40-5	Soil	0,021 mg/kg	Marine water	0,001 mg/L
EC: 226-394-6	Intermittent	0,068 mg/L	Sediment (Fresh water)	0,125 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,013 mg/kg
Decanal	STP	3,16 mg/L	Fresh water	0,00117 mg/L
CAS: 112-31-2	Soil	0,019 mg/kg	Marine water	0,000117 mg/L
EC: 203-957-4	Intermittent	0,0117 mg/L	Sediment (Fresh water)	0,097 mg/kg
	Oral	0,313 g/kg	Sediment (Marine water)	0,01 mg/kg
inalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Diethyl phthalate	STP	2 mg/L	Fresh water	0,012 mg/L
CAS: 84-66-2	Soil	0,137 mg/kg	Marine water	0,0012 mg/L
EC: 201-550-6	Intermittent	0,12 mg/L	Sediment (Fresh water)	0,137 mg/kg
	Oral	0,033 g/kg	Sediment (Marine water)	0,0137 mg/kg
Octanal	STP	3,16 mg/L	Fresh water	0,002 mg/L
CAS: 124-13-0	Soil	0,013 mg/kg	Marine water	0 mg/L
EC: 204-683-8	Intermittent	Not relevant	Sediment (Fresh water)	0,071 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,007 mg/kg
Geraniol	STP	0,7 mg/L	Fresh water	0,011 mg/L
CAS: 106-24-1	Soil	0,017 mg/kg	Marine water	0,001 mg/L
EC: 203-377-1	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,011 mg/kg
- Hydroxy-citronellal	STP	10 mg/L	Fresh water	0,0316 mg/L
CAS: 107-75-5	Soil	0,011 mg/kg	Marine water	0,00316 mg/L
EC: 203-518-7	Intermittent	0,316 mg/L	Sediment (Fresh water)	0,145 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,015 mg/kg

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks (Material: Butyl, Breakthrough time: 240 - 480 min, Thickness: 0.38 mm)	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 7/16







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
•	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	- (0)	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 9 % weight

V.O.C. density at 20 °C: 84,11 kg/m³ (84,11 g/L)

Average carbon number: 9,78

Average molecular weight: 145,81 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

Not available Appearance: Colour: Lemon Odour: Citric

Odour threshold: Not relevant *

Volatility:

Boiling point at atmospheric pressure: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 8/16







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Vapour pressure at 20 °C: Not relevant * Vapour pressure at 50 °C: Not relevant * Evaporation rate at 20 °C: Not relevant *

Product description:

934,5 kg/m³ Density at 20 °C: Relative density at 20 °C: 0,935

Dynamic viscosity at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: Not relevant * Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant * Solubility properties: Not relevant * Decomposition temperature: Not relevant * Melting point/freezing point: Not relevant *

Flammability:

Flash Point: Non-applicable Flammability (solid, gas): Not relevant * 225 °C Autoignition temperature: Lower flammability limit: Not relevant * Upper flammability limit: Not relevant *

Explosive (Solid):

Not relevant * Lower explosive limit: Upper explosive limit: Not relevant *

Particle characteristics:

Not relevant * Median equivalent diameter:

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Not relevant * Oxidising properties: Not relevant * Corrosive to metals: Not relevant * Not relevant * Heat of combustion: Aerosols-total percentage (by mass) of flammable Not relevant * components:

Other safety characteristics:

Surface tension at 20 °C: Not relevant * Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 9/16







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: d-limonene (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 10/16







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Д	cute toxicity	Genus
Benzyl benzoate	LD50 oral	1500 mg/kg (ATEi)	Rat
CAS: 120-51-4	LD50 dermal	4000 mg/kg	Rabbit
EC: 204-402-9	LC50 inhalation		
d-limonene	LD50 oral	4400 mg/kg	Rat
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit
EC: 227-813-5	LC50 inhalation		
Citral	LD50 oral	4950 mg/kg	Rat
CAS: 5392-40-5	LD50 dermal	2250 mg/kg	Rabbit
EC: 226-394-6	LC50 inhalation		
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation		
Octanal	LD50 oral	4617 mg/kg	Rat
CAS: 124-13-0	LD50 dermal	5207 mg/kg	Rabbit
EC: 204-683-8	LC50 inhalation		
Decanal	LD50 oral	41750 mg/kg	Rat
CAS: 112-31-2	LD50 dermal		
EC: 203-957-4	LC50 inhalation		
1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptane	LD50 oral	3100 mg/kg	Rat
CAS: 470-67-7	LD50 dermal		
EC: 207-428-9	LC50 inhalation		
Tricyclodecenyl acetate	LD50 oral	3000 mg/kg	
CAS: 5413-60-5	LD50 dermal		
EC: 226-501-6	LC50 inhalation		_
Geraniol	LD50 oral	4200 mg/kg	Rat
CAS: 106-24-1	LD50 dermal	5100 mg/kg	Rabbit
EC: 203-377-1	LC50 inhalation		

11.2 Information on other hazards:

Endocrine disrupting properties

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 11/16**







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
d-limonene	LC50	0,702 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5989-27-5	EC50	0,577 mg/L (48 h)	Daphnia magna	Crustacean
EC: 227-813-5	EC50	Not relevant		
Benzyl benzoate	LC50	2,32 mg/L (96 h)	Danio rerio	Fish
CAS: 120-51-4	EC50	3,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-402-9	EC50	0,36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Citral	LC50	6,1 mg/L (24 h)	Oryzias latipes	Fish
CAS: 5392-40-5	EC50	11 mg/L (24 h)	Daphnia magna	Crustacean
EC: 226-394-6	EC50	16 mg/L (72 h)	Scenedesmus subspicatus	Algae
Decanal	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 112-31-2	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 203-957-4	EC50	>10 - 100 mg/L (72 h)		Algae
Diethyl phthalate	LC50	61 mg/L (48 h)	Leuciscus idus	Fish
CAS: 84-66-2	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-550-6	EC50	Not relevant		
Octanal	LC50	13,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 124-13-0	EC50	1,54 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-683-8	EC50	4,5 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Tricyclodecenyl acetate	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 5413-60-5	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 226-501-6	EC50	>10 - 100 mg/L (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Benzyl benzoate	NOEC	Not relevant		
CAS: 120-51-4 EC: 204-402-9	NOEC	0,258 mg/L	Daphnia magna	Crustacean
Diethyl phthalate	NOEC	5 mg/L	Cyprinus carpio	Fish
CAS: 84-66-2 EC: 201-550-6	NOEC	25 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
d-limonene	BOD5	Not relevant	Concentration	10 mg/L
CAS: 5989-27-5	COD	Not relevant	Period	28 days
EC: 227-813-5	BOD5/COD	Not relevant	% Biodegradable	71,4 %
Benzyl benzoate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 120-51-4	COD	Not relevant	Period	28 days
EC: 204-402-9	BOD5/COD	Not relevant	% Biodegradable	94 %

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 12/16







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradab	ility
Citral	BOD5	0,56 g O2/g	Concentration	100 mg/L
CAS: 5392-40-5	COD	1,99 g O2/g	Period	28 days
EC: 226-394-6	BOD5/COD	0,28	% Biodegradable	92 %
Linalool	BOD5	Not relevant	Concentration	100 mg/L
CAS: 78-70-6	COD	Not relevant	Period	28 days
EC: 201-134-4	BOD5/COD	Not relevant	% Biodegradable	90 %
Diethyl phthalate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 84-66-2	COD	Not relevant	Period	28 days
EC: 201-550-6	BOD5/COD	Not relevant	% Biodegradable	88 %
Octanal	BOD5	Not relevant	Concentration	Not relevant
CAS: 124-13-0	COD	Not relevant	Period	28 days
EC: 204-683-8	BOD5/COD	Not relevant	% Biodegradable	46 %
Geraniol	BOD5	Not relevant	Concentration	100 mg/L
CAS: 106-24-1	COD	Not relevant	Period	21 days
EC: 203-377-1	BOD5/COD	Not relevant	% Biodegradable	70 %

12.3 Bioaccumulative potential:

Substance-specific information:

	Identification		Bioaccumulation potential	
d-limonene		BCF	660	
CAS: 5989-27-5		Pow Log	4.83	
EC: 227-813-5		Potential	High	
Benzyl benzoate		BCF	193	
CAS: 120-51-4		Pow Log	4	
EC: 204-402-9		Potential	High	
Citral		BCF	10	
CAS: 5392-40-5		Pow Log	3.45	
EC: 226-394-6		Potential	Low	
Decanal		BCF	420	
CAS: 112-31-2		Pow Log	3.76	
EC: 203-957-4		Potential	High	
Linalool		BCF		
CAS: 78-70-6		Pow Log	2.97	
EC: 201-134-4		Potential		
Diethyl phthalate		BCF	117	
CAS: 84-66-2		Pow Log	2.07	
EC: 201-550-6		Potential	High	
Octanal		BCF	100	
CAS: 124-13-0		Pow Log	2.78	
EC: 204-683-8		Potential	High	
Geraniol		BCF	110	
CAS: 106-24-1		Pow Log	3.56	
EC: 203-377-1		Potential	High	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
d-limonene	Koc	6324	Henry	Not relevant
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Not relevant
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Not relevant

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 13/16**







Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorpt	Absorption/desorption		ility
Benzyl benzoate	Koc	6310	Henry	Not relevant
CAS: 120-51-4	Conclusion	Immobile	Dry soil	Not relevant
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Not relevant
Decanal	Koc	Not relevant	Henry	Not relevant
CAS: 112-31-2	Conclusion	Not relevant	Dry soil	Not relevant
EC: 203-957-4	Surface tension	2,811E-2 N/m (25 °C)	Moist soil	Not relevant
Diethyl phthalate	Koc	Not relevant	Henry	6,181E-2 Pa·m³/mol
CAS: 84-66-2	Conclusion	Not relevant	Dry soil	No
EC: 201-550-6	Surface tension	3,699E-2 N/m (25 °C)	Moist soil	No
Octanal	Koc	430	Henry	Not relevant
CAS: 124-13-0	Conclusion	Moderate	Dry soil	Not relevant
EC: 204-683-8	Surface tension	2,733E-2 N/m (25 °C)	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 Page 14/16

Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: Geraniol (106-24-1) PT: (18,19)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

· Removed substances

Ethylene-vinyl acetate copolymer (24937-78-8)

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Aquatic Chronic 3: Calculation method Skin Sens. 1B: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

- CONTINUED ON NEXT PAGE -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 15/16**

Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Lemon - Yellow

Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active Air Freshener: Toilet Clip, Diamond, Tower

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 (Replaced 1)

SECTION 16: OTHER INFORMATION (continued)

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Printing: 12/08/2024 Date of compilation: 17/10/2023 Revised: 26/03/2024 Version: 2 **Page 16/16**